

License activation

Prerequisites

The free evaluation can be used once per computer, and requires a network access to www.license.tomkod.com

The license activation requires network access to www.tomkod.com

Please check your firewall in case of failure.


Activation form

The activation window automatically shows up when the plugin is loading and a valid license or trial is not registered. If you want to see, change or remove your license while the plugin is already loaded, you can use the Rhino commands ***PluginName_License***. An activation status is always visible on the upper right corner of the form, if the icon is green your plugin will be enabled:




Trial Tab

This first tab is dedicaced to the trial requests. Your trial status is displayed, and the button is disabled if a trial is not available for your computer (Your trial has already been activated, or the server is unreachable)



Commercial Tab

This tab's two main buttons let you Check-out (Activate) or Check-in (Desactivate) your license from our license server.



The screenshot shows a window titled "TomKod license activation - Table 3.x". It features the TomKod logo and tagline "Softwares for users, by users". A "Plugin Status" box indicates "Enabled - license is valid" with a green checkmark. Below this are three tabs: "Free Trial License", "Commercial License" (which is selected), and "Details". The "Commercial License" tab contains an "Email" field with a placeholder "@... .com", a "Product key" field with dashes, and two buttons: "Activate (Check-Out)" and "Desactivate (Check-in)". Below these buttons, the status is shown as "Disabled". A checkbox labeled "Enable floating licenses (Affects every TomKod plugins)" is checked. At the bottom, there is a section titled "Use a license certificate" with a description: "Alternative method for offline activation, using a certificate file. This can avoid network activation issues, but the license won't be floating." Below this description is a file selection button and a text field containing "Undefined".

When the checkbox *"Enable floating licenses"* is checked, every TomKod's plugins will try to desactivate the license automatically when closing (Making it available for another of your computers)

Finally, a license certificate (*.TkLic) can be selected at the bottom if this tab. It allows to activate a license offline, but the license won't be floating anymore. If you need one, contact us at <https://www.tomkod.com/contact/>

Toolbar

The toolbars for Rhino are always included in your plugins installation directory, or can be downloaded [here](#).


To install them, you just have to drag/drop the file "Tomkod.rui" to a rhino window.

Yak-Common

Yak



Our *Table* plugin is also compatible with Yak, Rhino's new package manager ¹⁾. You can install it from the repository with the following command line:



```
C:\WINDOWS\system32\cmd.exe

C:\>"C:\Program Files\Rhino 6\System\Yak.exe" install table
Downloading Table (3.0.2)...
Downloaded Table (3.0.2)
Installing Table (3.0.2)...
Successfully installed Table (3.0.2)

C:\>
```

1)

Rhino 6 or later only

From:

<https://wiki.tomkod.com/> - TomKod knowledge base

Permanent link:

<https://wiki.tomkod.com/doku.php?id=start:plugins:common&rev=1608560994>

Last update: 2020/12/21 15:29

